


REVISIONS					
ECN NO.	REV.	DESCRIPTIONS	CHECKED	APPROVED	DATE
REL.	AX1	INITIAL RELEASE	KOCHI	DAVID	10/21/2016

该产品通过RoHS2.0认证.



7	T-H03302320X	WIRE,32AWG,UL3302,7/0.08,HF	A/R
6	HMLSB70261	LABEL 70*26MM WHITE,R2,HF	1
5	HMMTP00012	ACETATE TAPE:W=1INCH,HF	A/R
4	T-HMTBD07002	EXPANDO TUB:7.0MM,GREEN,SINGLE(OD7~25MM),R2,HF	A/R
3	AST8654-0074-02	SLIMLINE 74P CONNECTOR,STRAIGHT,LOW PROFILE	1
2	AST8654-0038-07	X4 NARROW SlimSAS 38PIN STRAIGHT PLUG	2
1	T-HWSS320020	SAS CBL: 32AWG Loose 85ohm,VW-1,HF,24G	A/R
ITEM	VENDOR P/N	DESCRIPTION	QTY




REV.: AX1

GENERAL TOLERANCES	
.X:	± 0.5
.XX:	± 0.3
.XXX:	± 0.01
ANGULAR:	$\pm 1^\circ$

The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU for RoHS compliance.

REVISIONS

ECN NO.	REV.	DESCRIPTIONS	CHECKED	APPROVED	DATE
REL.					



WIRE DIAGRAM

GENERAL TOLERANCES

.X:	± 0.5
.XX:	± 0.3
.XXX:	± 0.01
ANGULAR:	± 1°

This drawing is the property of Serial Cables and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Serial Cables without its prior consent, and that no right is granted to disclose or use any information in this drawing.

DRAWN: HARVEY HUANG	DATE: 10/21/2016
CHECKED: KOCHI HU	DATE: 10/21/2016
APPROVED: DAVID CHAN	DATE: 10/21/2016



TITLE: SC P/N:RSC74-0746 SAS SLIMLINE 8i PLUG TO 2XSAS SLIMLINE 4i PLUG CABLE		
DWG. No.: RSL74-0746		
	SCALE: NONE	SHEET 2 OF 3
	UNIT: MM	SIZE: A4
REV.: AX1		


The marking on this product doesn't contain environmental hazardous materials per directive 2011/65/EU for RoHS compliance.

REVISIONS


ECN NO.	REV.	DESCRIPTIONS	CHECKED	APPROVED	DATE
REL.					

LABEL 2

PN: RSC74-0746/RSL74-0746



LABEL 3




3	RMLSW30201	RoHS LABEL:30*20MM, LABEL5 INFO	1
2	RMLSB00401	LABEL3:100*40MM,WHT,BLANK,R2	1
1	RMBCTN0019	CARTON:590*240*200MM E TYPE	1
ITEM	PART NUMBER	DESCRIPTION	Q'TY

This drawing is the property of Serial Cables and is delivered on the express condition that it is not to be disclosed, reproduced or used, in whole or in part, for manufacture or sale by anyone other than Serial Cables without its prior consent, and that no right is granted to disclose or use any information in this drawing.



TITLE:
SC P/N:RSC74-0746
SAS SLIMLINE 8i PLUG TO 2XSAS SLIMLINE 4i PLUG CABLE

DWG. No.: RSL74-0746



SCALE: NONE	SHEET 3 OF 3
UNIT: MM	SIZE: A4
REV.: AX1	

GENERAL TOLERANCES

.X:	± 0.5
.XX:	± 0.3
.XXX:	± 0.01
ANGULAR:	± 1°

DRAWN: HARVEY HUANG	DATE: 10/21/2016
CHECKED: KOCHI HU	DATE: 10/21/2016
APPROVED: DAVID CHAN	DATE: 10/21/2016